

PRODUCT CATALOGUE

*High Pressure Cleaner
Vacuum Cleaner
Floor Blower*



JETMASTER
EVERYTHING MADE POSSIBLE

APPLICATION

The demands for high-pressure cleaners, vacuum cleaners, and floor blowers can significantly differ across various industries. This is why our extensive product range is designed to cater to your unique needs, whether you're in search of high-pressure cleaners that tackle the toughest grime, vacuum cleaners that leave no corner untouched, or floor blowers that speed up drying times.

JETMASTER
EVERYTHING MADE POSSIBLE



INDUSTRY & MARINE

Regular inspection and cleaning of both premises and machinery are essential to eliminate dust, dirt, and oil contamination. Jetmaster provides high-quality cleaning machines equipped with advanced accessories that fulfill the demands of industrial enterprises perfectly.

- ▲ Mechanical and plant engineering
- ▲ Construction
- ▲ Shipyards



HOUSE & COMMERCIAL BUILDING

Jetmaster brings cleaning equipment to your home. Our commercial & domestic range of cleaning machines makes different surfaces shine again. From terraces, parking spaces, stairs, walls, fences or Garden furniture.

- ▲ Private households
- ▲ Shopping centre
- ▲ Apartment
- ▲ Supermarket
- ▲ Warehouse



AUTOMOTIVE INDUSTRY

Industries such as car dealerships, repair shops, and transportation companies understand the value of making a strong first impression through cleanliness. Jetmaster provides tailored cleaning solutions to meet the unique requirements of these businesses, ensuring that their vehicles, workshops, and facilities always exude a professional and inviting appearance.

- ▲ Automotive industry
- ▲ Car Wash Centre
- ▲ Public Transport Hub/Station
- ▲ Logistic industry

COMMERCIAL & DOMESTIC



MODEL / TECHNICAL DATA	JM 610 (UNIVERSAL MOTOR)	JM6.101V (UNIVERSAL MOTOR)	JM7.130V (UNIVERSAL MOTOR) JM7.130V-i (INDUCTION MOTOR)	JM7.150V-i (INDUCTION MOTOR)	JM7.170V-i (INDUCTION MOTOR)
Flow Rate (L/min)	6	6	7	7	7
Bar Max (bar)	100	100	140	150	170
Output Power (kW)	1.4	1.4	1.4	2	2.5
Weight (kg)	6	5.7	13	20	24
Hose Length (m)	5	5	8	8	8
Cord Length (m)	5	5	8	8	8
Box Dimension (mm)	230x320x380	287x240x470	375x292x560	330x320x670	395x365x750
Water Temperature (°C)	40	40	40	40	40
Voltage	220-240V	220-240V	220-240V	220-240V	220-240V
ACCESSORIES					
Detergent bottle	NA	•	•	•	•
Gun	•	•	•	•	•
High pressure hose	•	•	•	•	•
Adjustable nozzle	•	•	•	•	•
Turbulance	NA	NA	•	•	•



MODEL / TECHNICAL DATA	TRENDY 610 (INDUCTION MOTOR)	JM VIP8.130 / REVO 813 (INDUCTION MOTOR)	BRAVO1013K (INDUCTION MOTOR)
Flow Rate (L/min)	6	8	10.5
Bar Max (bar)	100	130	130
Output Power (kW)	1.4	2.2	2.9
Weight (kg)	8.5	19	26
Hose Length (m)	5	8	10
Cord Length (m)	5	8	5
Box Dimension (mm)	410x300x280	510x260x340	494x497x605
Water Temperature (°C)	40	40	40
Voltage	220-240V	220-240V	220-240V
ACCESSORIES			
Detergent bottle	•	•	NA
Gun	•	•	•
High pressure hose	•	•	•
Adjustable nozzle	•	•	•
Pressure Gauge	NA	•	•
Unloader Valve	NA	•	•
Lance extension	•	NA	NA
Hose kit + quick connector	NA	NA	NA

PROFESSIONAL & INDUSTRIAL

HIGH PRESSURE CLEANER - 50 HZ ELECTRIC MOTOR

MODEL TYPE - 50 HZ / 1450 RPM

JM-S / JM-P	SINGLE PHASE MOTOR
JM-SA/SB JM-PA/PB (For 7.5Hp)	THREE PHASE MOTOR
JM-PA-R/PB-R (For 5.5Hp)	THREE PHASE MOTOR



MODEL / TECHNICAL DATA	JM11.110S ^A /S1 ^A (STEEL TROLLEY) JM11.110P ^C /P1 ^B (PLASTIC TROLLEY)	JM12.100(A)S ^A /S1 ^A (STEEL TROLLEY) JM12.100(A)P ^C /P1 ^B (PLASTIC TROLLEY)	JM11.170SB ^A (STEEL TROLLEY) JM11.170PB ^B (PLASTIC TROLLEY)	JM11.200SB ^A (STEEL TROLLEY) JM11.200PB ^B (PLASTIC TROLLEY)
Flow Rate (L/min)	11	12	11	11
Bar Max (bar)	110	100	170	200
Output Power (kW/Hp)	2.2/3	2.2/3	4/5.5	4/5.5
Weight (kg)	61	61	70	70
Hose Length (m)	10	10	10	10
Cord Length (m)	6	6	6	6
Nozzle Size	1.45	1.45	1.35	1.25
Water Temperature (°C)	40	40	40	40
Voltage	220-240V	220-240V	380-415V	380-415V
Box Dimension (mm)	660x559x673 ^A		670x560x660 ^B	610x495x584 ^C

MODEL / TECHNICAL DATA	JM11.250SB ^A (STEEL TROLLEY) JM11.250PB ^B (PLASTIC TROLLEY)	JM13.180SB ^A (STEEL TROLLEY) JM13.180PB-R ^B (PLASTIC TROLLEY)	JM15.150SB ^A (STEEL TROLLEY) JM15.150PB-R ^B (PLASTIC TROLLEY)	JM15.200SB ^A (STEEL TROLLEY) JM15.200PB ^B (PLASTIC TROLLEY)
Flow Rate (L/min)	11	13	15	15
Bar Max (bar)	250	180	150	200
Output Power (kW/Hp)	5.5/7.5	4/5.5	4/5.5	5.5/7.5
Weight (kg)	73	70	70	73
Hose Length (m)	10	10	10	10
Cord Length (m)	6	6	6	6
Nozzle Size	0.3	1.4	1.5	1.45
Water Temperature (°C)	40	40	40	40
Voltage	380-415V	380-415V	380-415V	380-415V
Box Dimension (mm)	660x559x673 ^A		670x560x660 ^B	610x495x584 ^C

ACCESSORIES

Lance + Adjustable nozzle	Unloader valve
Trigger gun	Pressure gauge
Detergent injector	High pressure hose
Thermal valve	Relay switch

PROFESSIONAL & INDUSTRIAL

HIGH PRESSURE CLEANER - 60 HZ ELECTRIC MOTOR



MODEL TYPE - 60 HZ / 1750 RPM

JM-SA/SB JM-PA/PB (For 7.5Hp)	THREE PHASE MOTOR
JM-PA-R/PB-R (For 5.5Hp)	THREE PHASE MOTOR
FRESCO	SINGLE PHASE MOTOR
BUENO	THREE PHASE MOTOR

MODEL / TECHNICAL DATA	JM11.170SA ^A (STEEL TROLLEY) JM11.170PA ^B (PLASTIC TROLLEY)	JM13.180SA ^A (STEEL TROLLEY) JM13.180PA ^B (PLASTIC TROLLEY)	JM15.150SA ^A (STEEL TROLLEY) JM15.150PA ^B (PLASTIC TROLLEY)	JM15.200SA ^A (STEEL TROLLEY) JM15.200PA ^B (PLASTIC TROLLEY)
Flow Rate (L/min)	11	13	15	15
Bar Max (bar)	170	180	150	200
Output Power (kW/HP)	4/5.5	5.5/7.5	5.5/7.5	5.5/7.5
Weight (kg)	70	73	73	73
Hose Length (m)	10	10	10	10
Cord Length (m)	6	6	6	6
Nozzle Size	1.40	1.40	1.50	1.35
Water Temperature (°C)	40	40	40	40
Voltage	440-480	440-480	440-480	440-480
Box Dimension (mm)	660x559x673 ^A		670x560x660 ^B	610x495x584 ^C

MODEL / TECHNICAL DATA	FRESCO1111P ^C (PLASTIC TROLLEY)	BUENO1111S ^A (STEEL TROLLEY) BUENO1111P ^B (PLASTIC TROLLEY)	BUENO1117S ^A (STEEL TROLLEY) BUENO1117P ^B (PLASTIC TROLLEY)	BUENO1520S ^A (STEEL TROLLEY) BUENO1520P ^B (PLASTIC TROLLEY)
Flow Rate (L/min)	11	11	11	15
Bar Max (bar)	110	110	170	200
Output Power (kW/HP)	2.2/3	2.2/3	4/5.5	5.5/7.5
Weight (kg)	61	73	70	73
Hose Length (m)	10	10	10	10
Cord Length (m)	6	6	6	6
Nozzle Size	1.45	1.45	1.35	1.45
Water Temperature (°C)	40	40	40	40
Voltage	220 (1 Phase)	220 (3 Phase)*	220 (3 Phase)*	220 (3 Phase)*
Box Dimension (mm)	660x559x673 ^A	670x560x660 ^B	610x495x584 ^C	

* 440V (3 Phase) is available upon request.

ACCESSORIES

Lance + Adjustable nozzle	Unloader valve
Trigger gun	Pressure gauge
Detergent injector	High pressure hose
Thermal valve	Relay switch

CUSTOMISATION SERIES

HIGH PRESSURE CLEANER

MODEL TYPE - JET 110S (Steel Trolley)

JET 110S	50 Hz
----------	-------



WELS
Compliance



MODEL / TECHNICAL DATA	JET110S
Flow Rate (L/min)	11
Bar Max (bar)	110
Output Power (kW/Hp)	2.2/3
Approx. Weight (kg)	65
Hose Length (m)	30
Nozzle Size	1.4
Water Temperature (°C)	40

ACCESSORIES

Thermal valve	Unloaded valve
Lance with control valve	Detergent injector
High pressure hose	Auto stop switch

HIGH PRESSURE CLEANER 1000 BAR

MODEL TYPE - THREE PHASE MOTOR

JM-CB	50 Hz
JM-CA	60 Hz



MODEL / TECHNICAL DATA	JM18.1000CA	JM15.1000CB
Flow Rate (L/min)	18	15
Bar Max (bar)	1000	1000
Output Power (kW/Hp)	30/40	30/40
Weight (kg)	562	562
Cable Length (m)	10	10
Water Temperature (°C)	40	40
Voltage (V) / Frequency (Hz)	440/60	415/50

ACCESSORIES

High Pressure Hose	Filtration with booster pump
Rupture Disc Pressure Relief Valve	Rotating Nozzle
Ultra High Pressure Dump Gun	Control panel

CUSTOMISATION SERIES

HIGH PRESSURE CLEANER > 1000 BAR

MODEL TYPE - THREE PHASE MOTOR

JM-CB	50 Hz
JM-CA	60 Hz



MODEL / TECHNICAL DATA	JM20.1500CB	JM24.1500CA	JM8.2000CB	JM10.2000CA	JM23.1000CB	JM27.1000CA
Maximum Flow	20Lpm/ 5.3Gpm	24Lpm/ 6.3Gpm	8Lpm/ 2.1Gpm	10Lpm/ 2.6Gpm	23Lpm/ 6.1Gpm	27Lpm/ 7.1Gpm
Maximum Pressure	1500Bar/ 21750Psi	1500Bar/ 21750Psi	2000Bar/ 29000Psi	2000Bar/ 29000Psi	1000Bar/ 14500Psi	1000Bar/ 14500Psi
Pressure Regulator	Yes	Yes	Yes	Yes	Yes	Yes
Safety Valve	Yes	Yes	Yes	Yes	Yes	Yes
Motor Power (kw/Hp)	45/61	54/72	37/50	43/58	45/61	54/72
Motor Speed (RPM)	980	1180	700	900	980	1180
Voltage & HZ	400/50	460/60	400/50	460/60	400/50	460/60
Hose Length (m)	20	20	20	20	20	20
Inlet Hose (m)	5	5	5	5	5	5
Nozzle	----- M1 Rotary Nozzle -----					
Net Weight (kg)	----- 1200 -----					
Dimension (mm)	----- 1670x1200x1450 -----					

ACCESSORIES

Unloader and safety regulators	Booster pump for incoming water supply
Hand held dump gun with rigid lance	Industrial filter system
Standard rotating nozzle	High pressure hose
Long Trigger Gun	Control panel

CUSTOMISATION SERIES

HIGH PRESSURE CLEANER - THREE PHASE MOTOR



MODEL TYPE - THREE PHASE MOTOR

JM-CB	50 Hz
JM-CA	60 Hz



50 HZ ELECTRIC MOTOR

MODEL / TECHNICAL DATA	JM15.250CB ^D	JM15.350CB ^D	JM15.500CB ^D
Flow Rate (L/min)	15	15	15
Bar Max (bar)	250	350	500
Output Power (kW/Hp)	7.5/10	11/15	15/20
Weight (kg)	124	163	175
Hose Length (m)	10	10	10
Nozzle Size	0.40	0.30	0.25
Water Temperature (°C)	40	40	40
Voltage (V)	380-415	380-415	380-415

ACCESSORIES

Lance	Pressure gauge
Adjustable nozzle	High pressure hose
Unloader valve	Control panel

60 HZ ELECTRIC MOTOR

MODEL / TECHNICAL DATA	JM13.250CA ^D	JM18.300CA ^D	JM18.400CA ^D	JM20.350CA ^E	JM25.400CA ^E
Flow Rate (L/min)	13	18	18	20	25
Bar Max (bar)	250	300	400	350	400
Output Power (kW/Hp)	7.5/10	11/15	15/20	15/20	18.5/20
Weight (kg)	124	163	175	185	250
Hose Length (m)	10	10	10	10	10
Cord Length (m)	6	**	**	**	**
Nozzle Size	0.35	0.45	0.35	0.40	0.50
Water Temperature (°C)	40	40	40	40	40
Voltage (V)	440-480	440-480	440-480	440-480	440-480

** Cord to be purchase separately.

ACCESSORIES

Lance	Pressure gauge
Adjustable nozzle	High pressure hose
Unloader valve	Control panel

CUSTOMISATION SERIES

HIGH PRESSURE CLEANER - THREE PHASE MOTOR

MODEL TYPE - THREE PHASE MOTOR

JM-CB	50 Hz
JM-CA	60 Hz



MODEL / TECHNICAL DATA	JM22.500CB ^F (50HZ - 950 RPM)	JM27.500CA ^F (60HZ - 1150 RPM)	JM30.500CB ^G (50HZ - 950 RPM)
Flow Rate (L/min)	22	27	30
Bar Max (bar)	500	500	500
Output Power (kW/Hp)	22/30	22/30	30/40
Weight (kg)	250	278	278
Hose Length (m)	10	10	10
Nozzle Size	0.40	0.50	0.55
Water Temperature (°C)	40	40	40
Voltage (V)	380-415	440-480	380-415

ACCESSORIES

Lance	Pressure gauge
Adjustable nozzle	High pressure hose
Detergent injector	Built-in water tank ^G
Unloader valve	Control Panel

VACUUM CLEANER

DOUBLE STAGE MOTOR

MODEL TYPE

JMV110-30	Wet & Dry Vacuum Cleaner
JMV210-70	Industrial Vacuum Cleaner



MODEL / TECHNICAL DATA

Vacuum Pressure (kPa)	≥ 23
Container Capacity (L)	30
Voltage (V)	220-240V/1 Phase
Power (W)	1000
Noise Level (dB)	≤ 72
Box Dimension (LxWxH)	430 x 375 x 670
Net Weight (kg)	6.7
Cable Length (m)	5
Barrel Material	Stainless Steel

ACCESSORIES

3 M Plastic Hose	DN32 Round Brush
Adjustive Handle	DN32 Crevice Nozzle
DN32 Metal Telescopic	Cloth Filter
Tube G06	DN32 Normal Wiper Brush
DN32 Floor Brush	

Wet & Dry Vacuum Cleaner JMV110-30



Dry Surface



Wet Surface



Hard-To-Reach Corner



MODEL / TECHNICAL DATA

Industrial Vacuum Cleaner JMV210-70

Vacuum Pressure (kPa)	≥ 24
Container Capacity (L)	70
Voltage (V)	220-240V/1 Phase
Power (W)	2 x 1000
Noise Level (dB)	≤ 80
Box Dimension (LxWxH)	570 x 530 x 850
Net Weight (kg)	24.5
Cable Length (m)	5
Barrel Material	Stainless Steel

ACCESSORIES

3 M Plastic Hose	DN38 Normal Wiper Brush
Adjustive Handle	DN38 Round Brush
DN38 Metal AB Tube	DN38 Crevice Nozzle
DN38 Normal Floor Brush	DN38 Normal Wiper Brush
White Needle Punched Cotton Filter Bag	



FLOOR BLOWER

FLOOR BLOWER - JMB106-90

MODEL TYPE

JMB106-90	Floor Blower
-----------	--------------



Designed to be compact yet portable, it operates with an adjustable 3-speed airflow system, ensuring effective drying. Ideal for drying carpets, rugs, tile, concrete and other applications.

MODEL / TECHNICAL DATA	Floor Blower JMB106-90
Output Power (W)	650W
Voltage (V)	220-240V/50Hz
Flow Rate (m ³ /min)	70/80/90
Max Sound Level (dB) (A)	60
Cord Length (m)	10

APPLICATIONS

Supermarket	Warehouse & Office	Factory
Wholesale Centre	Hotel & Dormitory	Health Recovery Centre
Indoor Stadium & Gymnasium	Public Transport Hub/ Station	Drugstore & Pharmacy
Bar & Cafe	Automobile Service Centre	Hospital & Clinic
Restaurant & Club	Theater & Opera House	Nursery Home
Home & Apartment	Exhibition Hall	Car Wash



Nationwide
Services



Made In
Italy*

Authorized Dealer:

www.jetmaster.com

*Selected models only

AL/JM/AUG023/2K